



Republic of the Philippines
Department of Education
REGION IX
SCHOOLS DIVISION OF ZAMBOANGA SIBUGAY

REQUEST FOR QUOTATION

No. : 2022-06-144

June 30, 2022

Date

To: All Eligible Bidders

- Please quote your lowest price inclusive of VAT on the items listed below, subject to the Terms and Conditions of this RFQ. Submit your quotation duly signed by your authorized representative at the DepEd Division of Zamboanga Sibugay, Pangl, Ipil, Zamboanga Sibugay not later than _____. Receipt of at least one (1) of this quotation is sufficient to proceed with the evaluation.
- Term and Conditions
 - All entries must be READABLE/ TYPEWRITTEN.
 - Please fill up the blank section/ columns (Unit price, total price including the grand total).
 - Price validity must be within sixty (60) calendar days.

Note: Mayor's Permit and Tax Clearance must be duly authenticated or certified true copy by issuing Agency and PhilGEPS Certification.

 - Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for equipment and other services from date of acceptance by the procuring entity.

FAILURE TO DO SO WILL MEAN DISQUALIFICATION OF YOUR BID PROPOSAL

- Quotation that exceeds the Approved Budget for the Contract (ABC) shall be automatically disqualified.

AURELIO A. SANTISAS
BAC Chairman

Please return in sealed envelope and indicate the RFQ number.

Item No.	Unit	Item Specification	Quantity	Unit Price	Total Price
	piece	Blower	2		
	piece	Bow Saw	10		
	piece	Claw Hammer 16oz	25		
	piece	Fork	25		
	piece	Gun tacker	10		
	piece	Hand trowel	25		
	piece	Hedge trimmer	26		
	piece	Hole digger	5		
	piece	Knapsack sprayer	5		
	piece	Ladder	5		
	piece	Leaf rake	25		
	piece	Loping shear	6		
	piece	Mallet	27		
	piece	Meter tape (5 meters)	25		
	piece	Meter tape (50 meters)	10		
	piece	Ordinary rake	15		
	piece	Pick mattock	15		
	piece	Pruning saw	25		
	piece	Pruning shears	25		
	piece	Roller	5		
	piece	Shovel	15		
	piece	Soil drencher accessories and fittings	20		
	piece	Spade	15		
	piece	Stone rake	25		
	piece	Wheel barrow	5		
ABC		₱433,777.00			
Purpose:	Procurement of TVL (Landscaping Installatiuon and Maintenance) Tools and Equipment at SDO-Zamboanga Sibugay				
This is to submit our price quotation indicated above subject to the terms and conditions of this RFQ					
Suppliers Company Name:			Date:		
Address:			Tel. No.:		
TIN Number:			Cell. No.:		
Supplier's Signature Over Printed Name:			Email Add:		
			Fax No.:		



9 Pangl, Ipil, Zbga. Sibugay
☎ (062) 333-5492
✉ zamboanga.sibugay@deped.gov.ph
✉ depedzamboangasibugay.ph



Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Triangle 45° x 45° x 90°, 8"	Illustration (NC II)	Draw accurate parallel lines, vertical lines, and other angled lines.	Draw accurate parallel lines, vertical lines, and other angled lines of a set measurement as stated in the design specifications.	The item shall have the following specifications: 1) Material: Clear plastic; 2) Shape: Accurate 45° x 45° x 90 degrees triangle; 3) Length(longest side) 8 inches (minimum); 4) Thickness: 1 mm to 2 mm; 5) With metric graduations (in centimeters with smallest graduation of 1 millimeter) on one leg, and english graduations (in inches with smallest graduation of 1/16 inch) on the other leg; 6) Metric graduations must be marked in "CENTIMETER", "centimeter", or "cm", and English graduations must be marked in "INCH", "inch", or "in", 7) The item must not have sharp edges or rough surfaces; 8) With plastic pouch for storage; 9) The item must be branded.
Water color, set of 12	Illustration (NC II)	Draw colored lines or marks on paper and other media.	Draw lines or marks with a variety of colors as specified in the design specifications.	The item shall have the following specifications: 1) Material: Water-based Colored Paste; 2) Colors: Black and White, Primary Colors, and Assorted Colors; 3) Weight: 7 mL to 12 mL per tube; 4) Qualities: Quick dry, Non-toxic and Non-leadcd; 5) Carton box packaging 5) The item must be branded.
Blower	Landscape Installation And Maintenance NC II	Used to move such as debris, leaves, grass and etc.	Must be able to move such as debris, leaves, grass and etc.	Type Handheld Engine: Two stroke single cylinder Gasoline engine Engine power: 25 cc (minimum), Pull start Air volume up to 410 cfm Air speed up to 180 mph Must be branded
Bow saw	Landscape Installation And Maintenance NC II	Used for cutting such as green wood, tree branches and shrubs and etc.	Must be able to cut such as green wood, tree branches and shrubs and etc.	Tubular painted steel frame Size: 24 inches blade Comes with Comfortable ergonomic handle include tensioning mechanism Must be branded

Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Claw Hammer 1lb/17	Landscape Installation And Maintenance NC II	Use to drive and extract nails ant etc	Use for driving nails into, or pulling nails from, some other object.	Type: Claw Head Material: Drop forged Carbon steel Handle material: Hard wood Size: 16oz head, 12 inches Handle (minimum) Must be branded
Fork	Landscape Installation And Maintenance NC II	Used to spread and mix compost piles and etc.	Must be able to spread and mix compost piles and etc.	Type: Fork Head material: Carbon steel Handle material: Hardwood Four Tines head, D grip handle Size: Overall length: 100 cm (minimum) Must be branded
Gun tacker	Landscape Installation And Maintenance NC II	Used for stapling such as wood, plastic, rubber and etc.	Must be able to staples such as wood, plastic, rubber and etc.	Material: Chrome plated steel Staple size: 10 mm Comes with spring loaded adjustable mechanism Must be branded
Hand trowel	Landscape Installation And Maintenance NC II	Used for digging, smoothing or removing small amounts of viscous or particulate materials.	Must be able to dig, smooth and remove small amount of viscous or particulate materials and etc.	Material: Carbon steel Ergonomic Rubber grip Size: Length: 13.5 inches x Width: 3.5 inches (minimum) Must be branded
Hedge trimmer	Landscape Installation And Maintenance NC II	Used for trimming flowers, grass, plants and etc.	Must be able to trim the above mention materials and etc.	Blade material: Carbon steel Handle material: Wood Handle length: 260 mm (minimum) Total length: 580 mm (minimum) Must be branded
Hole digger	Landscape Installation And Maintenance NC II	Used to dig narrow holes.	Must be able to dig narrow holes and etc.	Type: Manual Head material: Steel Handle material: Fiberglass with cushion grips handle Head size: L 12 inches x W 6 inches (minimum) Handle size: 48 inches (minimum) Must be branded

Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Knapsack sprayer	Landscape Installation And Maintenance NC II	Must be able to spray fungicides or insecticides with a sprayer being carried on his back and equipped with pressured nozzle.	Spray and use large area or taller trees	Material: Stainless Steel Capacity: 4 gallons to 7 gallons Back pack type Operating /working pressure range 2 4 bars (15 40 psi) Comes with complete accessories including the nozzle, rubber hose, connectors pumping lever and shoulder straps With User's Manual in English which includes a. parts manual with labels, b. assembly instructions, c. operating procedures, d. safety precautions when using the equipment, Warranty period of parts and service: 1 year Packed with shipping carton box Branded
Ladder	Landscape Installation And Maintenance NC II	Use to reach high structures	Must be able to reach high structures to up to 24 feet and supports up to 300lbs of weight	Type: Extension Ladder Material: Aluminum Size: 24 ft extension 21 ft. (minimum) Load Capacity: 225 lb (minimum) Bottom width: 17 1/2 inches (minimum) Close height: 24 ft (minimum) Section Length: 8 ft Shoe design: Swivel Rung shape: D-rung Step spacing: 12 inches Adjustable spacing: 12 inches Must be branded
Leaf rake	Landscape Installation And Maintenance NC II	Used to collect leaves	Must be able to collect leaves and etc	Type: Rake Head material: Painted Carbon steel Handle material: Fiberglass with non slip end grip Handle length: 50 inches long (minimum) Head width: 24 inches (minimum) Comes with 26 times (minimum) Must be branded
Lopping shear	Landscape Installation And Maintenance NC II	Used to cut twigs, small branches of trees and shrubs and etc.	Must be able to cut twigs, small branches of trees and shrubs and etc.	Material: Steel With cushion grip handle Overall length: 25 inches (minimum) Must be branded

Item Name	TVL Specification	Functional Specification	Performance Specification	Design Specification:
Mallet	Landscape Installation And Maintenance NC II	Used to flatten surface and to facilitate the proper laying and positioning of ceramic tiles during installation.	Must be able to install ceramic tiles in proper laying and positioning with reduce impact and vibrations	Type: Hammer Head material: Hard black rubber Handle material: Fiberglass with rubber coated handle Head size: 16 oz/ 450g Length: 13 inches (minimum) Must be branded
Meter tape (5 meter)	Landscape Installation And Maintenance NC II	Used to measure size or distance.	Must be able to measure distance or size up to 5 meters	Materials: Rubber, Plastic, Steel tape Steel tape length: 5 meters Dual graduations: Metric and inches Comes with Self retracting steel tape, Magnetic hook, Lock and go function and with belt clip Must be branded
Meter tape (50 meters)	Landscape Installation And Maintenance NC II	Used to measure distance or size.	Must be able to measure distance or size up to 50 meters.	Casing Material: High impact ABS plastic Blade material: Fiberglass Blade length: 50 meters/165 ft. (minimum) Blade width: 12.5 mm (minimum) Comes with Retractable folded handle Must be branded
Ordinary rake	Landscape Installation And Maintenance NC II	Used to collect leaves, hays, and grass and etc.	Must be able to collect leaves, hays, and grass and etc.	Type: Rake Head material: Carbon steel Handle material: Hard wood Number of tines: 16 (minimum) Handle Length: 60 inches (minimum) Must be branded

Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Pick mattock	Landscape Installation And Maintenance NC II	Used to cultivate and digging out weeds and etc.	Must be able to cultivate and dig out weeds and etc.	Head material: High carbon steel Handle material: Hard wood Head weight: 3.2 kg (minimum) Handle length: 900 mm (minimum) Cuts with Pointed pick end and flat mattock blade Must be branded
Pruning saw	Landscape Installation And Maintenance NC II	Used to cut or trim such as larger shrubs and smaller tree branches and etc.	Must be able to trim or cut larger shrubs and smaller tree branches and etc.	Type: Saw Material: Hardened chrome plated steel Ergonomic handle Saw length: 400 mm (minimum) Overall length: 530 mm (minimum) Blade width: 40 mm (minimum) Blade thickness: 1.2 mm (minimum) Must be branded
Pruning Shears	Landscape Installation And Maintenance NC II	Must be able to cut plant stems and hard shrub branches.	Cuts the above mentioned up to 1 inch	Blade material: Forged steel Cutting capacity: 1 in (1 inch) Total length 7 inches minimum With non slip grip handle Multifunctional labor type Packed with shipping carton box
Roller	Landscape Installation And Maintenance NC II	Used for flattening land or breaking up clumps of soil and etc.	Must be able to flatten and breaking the above materials and etc.	Type: Lawn roller Material: Painted metal Roller size: Width 50 cm x Dia. 42 cm (minimum) Comes with drain plug, scraper bar and soft grip folded handle Must be branded

Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Shovel	Landscape Installation And Maintenance NC II	Used for digging, lifting, and moving bulk materials, such as soil, coal, gravel, sand and etc.	Must be able to dig, lift, and move such as soil, coal, gravel and sand and etc.	Type: Round nose Body shape: Material: High carbon steel plate Blade thickness: 1.9 mm (minimum) Handle type and material: D- type, Hardwood Width blade: 8.5 inches (minimum) Handle length : 29 inches (minimum) Overall length : 40 inches (minimum) No sharp edges Must be branded
Soil drencher accessories and fittings	Landscape Installation And Maintenance NC II	Used for watering plants and etc.	Must be able to watering plants, grass and etc.	Material: PVC, Polyester fiber Size: 12 mm x 30 meters Includes 1. Spray jet nozzle, 2. Female connector, 3. Threaded tap connector Must be branded
Spade	Landscape Installation And Maintenance NC II	Used to dig or loosen ground, or to break up lumps in the soil and etc.	Must be able to dig or loosen or can break up lumps in the soil and etc.	Head material: Tempered steel Handle material: Hard wood Blade size: L 11 x W 7 inches (minimum) Handle size: 30 inches (minimum) Square point blade and D grip handle Must be branded
Stone rake	Landscape Installation And Maintenance NC II	Used to remove stones and other unwanted materials from the soil.	Must be able to remove stones and other unwanted materials from the soil and etc.	Head material: Powder coated steel Handle material: Hard wood Total length: 120 cm (minimum) Number of tines: 14 (minimum)
Wheel barrow	Landscape Installation And Maintenance NC II	Used to carry, ship the heavyweight luggage, rocks, sand, garden soil from one place to another and etc.	Must be able to carry, ship up to 160 kg. above mention materials from one place to another and etc.	Material: Painted metal Load capacity: 200 kgs (minimum) Tire thickness: 1.2 mm (minimum) Comes with Pneumatic wheel and rubber grip handle Must be branded