

No. : 2022-06-142


Date _____

1. Please quote your lowest price inclusive of VAT on the items listed below, subject to the Terms and Conditions of this RFQ. Submit your quotation duly signed by your authorized representative at the DepEd Division of Zamboanga Sibugay, Pangil, Zamboanga Sibugay not later than _____, Receipt of at least one (1) of this quotation is sufficient to proceed with the evaluation.
2. Term and Conditions
 - a. All entries must be READABLE/ TYPEWRITTEN.
 - b. Please fill up the blank section/ columns (Unit price, total price including the grand total).
 - d. Price validity must be within sixty (60) calendar days.

Note: Mayor's Permit and Tax Clearance must be duly authenticated or certified true copy by issuing Agency and PhilGEPS Certification.
 - e. Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for equipment and other services from date of acceptance by the procuring entity.

3. Quotation that exceeds the Approved Budget for the Contract (ABC) shall be automatically disqualified.

Item No.	Unit	Item Specification	Quantity	Unit Price	Total Price
	unit	Animal Drawn Plow	1		
	unit	Bolo	25		
	unit	Calculator	5		
	unit	Container	5		
	unit	Digging tools-hole digger	5		
	unit	Digging tools-pick mattock	5		
	unit	First Aid Kit (set)	1		
	unit	Gloves, rubber (15 mils)	25		
	unit	Grafting knife	5		
	unit	Hearing Protection (Earmuffs)	25		
	unit	Knapsack Sprayer	5		
	unit	Light hoe	5		
	unit	Measuring cup (set)	5		
	unit	Pail	5		
	unit	PPE-Face mask	25		
	unit	Pruning Shears	5		
	unit	Rake	15		
	unit	Safety Goggles	25		
	unit	Scissors	10		
	unit	Shovel	10		
	unit	Sprinkler	25		
	unit	Trowel	25		
	ABC	₱270,217.00			
Purpose:	Procurement of TVL (Pest Management) Equipment at SDO-Zamboanga Sibugay.				
		<i>This is to submit our price quotation indicated above subject to the terms and conditions of this RFQ</i>			
Suppliers Company Name:			Date:		
Address:			Tel. No.:		
TIN Number:			Cell. No.:		
Supplier's Signature Over Printed Name:			Email Address:		
			Fax No.:		



Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Animal Drawn Plow	Pest Management (Veg.) NC II	used for loosening or turning the soil before sowing seed or planting. "Drawn by animal	Loosening soil by plough drawn by animals with working depth at least 200mm.	Blade material: Forged Carbon Steel Type: Farm cultivator Working depth: 200 mm(minimum) Working width: 150 mm(minimum) Main parts include plough moldboard, plough beam and plough wheel with handles
Bolo	Pest Management (Veg.) NC II	Used for cutting tall grasses and weeds and chopping branches of trees.	The clearing of vegetation, whether for agricultural or during trailblazing is much easier	Type: Garden Bolo Material: Forged Steel, Carbon steel Overall length: 17 inches (minimum) Blade length: 12 inches (minimum) Thickness: 1/8inch. (minimum) Width: 2 1/4inches widest (minimum) 1 3/4inches narrowest (minimum) Handle: hardwood with metal bolster Head weight: 1 kg. (minimum) Length handle : 24 inches (minimum) Comes with hardwood handle Comes with carton box Rust free

Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Calculator	Pest Management (Veg.) NC II			<p>Display: LCD, 2 lines x 10 to 12 characters, stably shows input-expressions/equation, calculation result, and various indicators. Built-in functions not less than 240 inclusions of the following:</p> <p>a) Basic Calculations: arithmetic, fraction, percentage, degrees, minutes, seconds, Random</p> <p>b) Memory calculation. Logarithmics. Hyperbolic functions</p> <p>c) Statistical functions: Single and Double variable statistic/standard deviation</p> <p>d) Trigonometric functions: Sine, Cosine, Tangent, Arcsine, Arccosine, and Arctangent.</p> <p>Basic keys and function keys are labeled permanently (resistant to finger rub and light acid (vinegar) contamination) and operates as such correspondingly.</p> <p>Power requirement: two-way dual (battery, built-in solar system), the unit consistently operational after replacing the battery for three trials, its solar system powers the unit normally in a well lit room without the battery.</p> <p>Comes with fresh dry cells readily operational upon receipt.</p> <p>Key top material: plastic. W x H x T: 73 mm x 145 mm x 10 mm, with dimension tolerance of ± 2 mm.</p> <p>Comes with hard plastic cover/case to protect the face.</p> <p>Comes with User's Manual in English. Contains operation guide on featured functions and in replacing the battery</p>
Container	Pest Management (Veg.) NC II	used for storing any liquid substance for process of vegetating or any related activities.	Store liquid up to 200 liters capacity	<p>Material: Hard plastic</p> <p>Capacity: 200 liters</p> <p>Comes with plastic cover</p> <p>Cylindrical shape</p>
Digging tools-Hole Digger	Pest Management (Veg.) NC II	Must be able to dig narrow holes	Digging narrow holes to plant trees or for fences to protect the agricultural land	<p>Blade Material: Carbon steel, 1/16 inch thick (minimum)</p> <p>Handle Material: Hardwood</p> <p>Handle length: 4 feet (minimum)</p> <p>Jaw digger/Blade width dimension: 4 inches (minimum)</p> <p>Blade length: 8 inches (minimum)</p> <p>Blade spread: 5 inches (minimum)</p> <p>Manual post hole digger type</p>

Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Digging Tools Pick mattock	Pest Management (Veg.) NC II	Must be able to break up hard earth as well as stones and rocks in the ground,	Cultivates or digs the hard ground with two pounds head capacity	Material: Forged Carbon steel Blade=2 inches(minimum) Pick axe length=6 inches(minimum) Head capacity(Permanently etch on the head): 2.0 pounds With wooden handle Handle length: 20 inches(minimum) The head must be press fitted for maximum safety Branded.
First Aid Kit	Pest Management (Veg.) NC II	Treats minor illness on emergency time with availability of First aid kit.	Must be able to treat minor illnesses and injuries for local guiding services.	Type: Emergency case; Body shape: Standard; First Aid Quick Reference Guide, 1pc Sterilize Gauge Swab(4 x4 x12 ply) 100 pcs./pack, 1 pack Adhesive strips/Band -Aid, 50 pcs/pack, 2packs Gloves,disposable,medium size 2 pairs Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs Safety pins, 1 1/4 inches (12 pcs), 1 3/4 inches (12 pcs) Stainless steel bandage scissors, 2pcs Betadine, 60ml, 2 -3 years expiration, 2 bottles Dust mask, 2pcs Hand towels or face towels, white color, 6 pcs Gauze bandage, minimum 5cm x 4cm, 2 rolls Antiseptic handwash/germicideal soap, 60 grms , 2pcs Torniquet, 2 pcs Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle Burn cream ointment, 20g to 30g, 2- 3years expiration, 1 tube Medical tweezers min. 8cm, plastic, 2pcs Plastic bags, releasable, minimum of 24pcs,100mmx180mm,24pcs; 150mmx230mm Cotton balls , 50 balls in a sealed package, 2 packs Hot and Cold pack, reusable, 1 pack Water resistant and sturdy case w/ handle that can accommodate all the listed items. All items shall be branded and have quality Control markings(local/international)
Gloves, Rubber (15 mils)	Pest Management (Veg.) NC II	Must be able to protect and comfort hands against cold or heat, damage by friction, and abrasion or chemicals.	Protects the wearer and serve as Personal Protective equipment	Medium size(# 8) Super Nitrile, flocklined interior (acid/solvent resistant) Individually packed For hand protection

Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Grafting knife	Pest Management (Veg.) NC II	Must be able to cut and graft plants	Cuts and Grafts the plants using this type of knife	Material: Stainless Steel 2 mm thk. (minimum) Blade Length: 7 cm minimum Overall Length: 19 cm minimum With flat straight cutting edge Blade can be fold into handle and joint when not use Foldable type Packed with protective plastic case
Hearing Protection (Earmuffs)	Pest Management (Veg.) NC II		Protects the wearer and serve as Personal Protective Equipment	With Noise Reduction Rating(NRR) of 28dB(minimum)or estimating 50% the amount of noise reduction Flexible Padded Headband With cushion and foam liners With Earcup pivot points can be tilted for optimum comfort and efficiency Packed with protective case
Knapsack Sprayer	Pest Management (Veg.) NC II	Must be able to spray fungicides or insecticides with a sprayer being carried on his back and equipped with pressured nozzle.	Spray and use large area or taller trees	Material: Stainless Steel Capacity: 4 gallons to 5 gallons Back pack type Operating /Working pressure range : 2 - 4 bars(15 - 60 psi) Comes with complete accessories including the nozzle ,rubber hose,connectors pumping lever and shoulder straps. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, d. safety precautions when using the equipment, Warranty period of parts and service: 1 Year Packed with shipping carton box Branded
Light hoe	Pest Management (Veg.) NC II	Must be able to remove weeds and loosen soil	Cultivates soil or vegetable beds	Hoe Material: Carbon Steel 1/16 inch thick(minimum) Draw hoe type Hoe Length: 6 1/2 inch (minimum) Hoe Width: 4 1/2 inch (minimum) Length:at least 48 inches Handle: Hard Wood Branded"

Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Measuring Cup (set)	Pest Management (Veg.) NC II	Serve as a measuring tool	Must be able to measure the volume of liquid mixtures for fertilizing or pesticides	Material: Plastic Capacity: 250ml Color: Translucent Graduation by 50ml Numeric graduation embossed/engraved clearly. With handle
Pail	Pest Management (Veg.) NC II	used for carrying liquids or water use during pest management activity	Conforms with 16 liters capacity	Capacity: 16 liters (minimum) Material: Plastic Thickness: 1mm (minimum) Comes with metal handle
PPE Face Mask	Pest Management (Veg.) NC II	Protects the wearer and serve as Personal Protective Equipment	Must be able to prevent the wearer from inhaling chemicals or contaminant during pest management activity	Medium size Dual filter design Adjustable strap Half respirator type Individually packed Non toxic
Pruning Shears	Pest Management (Veg.) NC II	Must be able to cut plant stems and hard shrub branches.	Cuts the abovementioned up to 1 inch	Blade material: Forged steel Cutting capacity: 1 inch (minimum) Total length 7 inches minimum With non slip grip handle Multifunctional labor type Packed with shipping carton box
Rake	Pest Management (Veg.) NC II	Must be able to clear fields, stirring, spreading lawns, and yards.	Cleared the agricultural area before planting activity	Tine material: Forged Carbon steel Tine number: 10 to 12 tines Handle length: 4 ft (minimum) Tine height: 2 3/4 inches (minimum) Comes with hard wood handle Design with welded blade socket Garden rake type

Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Safety Goggles	Pest Management (Veg.) NC II	Protects and secure shield around the entire eye and protect against hazards coming from any direction.	Must be able to protective equipment to be wear during cutting or spraying plants.	Polycarbonate goggle lens with 180° panoramic view Firm comfortable seal around forehead, cheeks, nose and temples protects against chemicals, dust and grindings Medium strap storted to prevent slippage and holds the goggle more securely and safely. Shall bear mark Z87+ to indicate an impact protector type (ANSI Z87.1, EN 166 or CSA Z94.3 certification compliance) For eye protection Color: Clear and Transparent Packed with plastic pouch.
Scissors	Pest Management (Veg.) NC II			Type : Scissors Body Shape : Standard Shape Material : Stainless steel with soft grip handle Length : 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Comes with carton box No sharp edges except on the blade The item must be branded and have good quality
Shovel	Pest Management (Veg.) NC II	Used for digging, lifting, and moving bulk materials, such as soil, coal, gravel, sand and etc.	Must be able to dig, lift, and move such as soil, coal, gravel and sand and etc.	Type: Round nose Body shape: Material: High carbon steel plate Blade thickness: 1.9 mm (minimum) Handle type and material: D- type, Hardwood Width blade: 8.5 inches (minimum) Handle length : 29 inches (minimum) Overall length : 40 inches (minimum) No sharp edges Must be branded
Sprinkler	Pest Management (Veg.) NC II	Used for watering plants.	Watering plants with at least 12 liters capacity	Material: Hard plastic, 1.5 mm thick (minimum) Capacity: 12 liters(minimum) Comes with handle and spout Non toxic Branded"

Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
Trowel	Pest Management (Veg.) NC II	Must be able to dig up or dig out weeds or install small plants or bulbs.	Performed the digging small holes and transplanting plants.	Type: Garden trowel Material: Carbon Steel Thickness: 0.80 mm (minimum) Blade width: 8 cm (minimum) Blade length: 13 cm (minimum) Length including the handle: 30 cm (minimum) Branded
Drawing Board	Technical Drafting (NC II)	Hold the drawing media in place for sketching, inking, drawing, and technical drawing.	Hold a given size of drawing media in place and can be adjusted to a variety of angles.	The item shall have the following specifications: 1) Portable Easel Type Drawing Board, adjustable angles, can be tilted to at least 75 degrees, folds flat; 2) Material: Board: Laminated Medium Density Fiberboard, Frame: Kiln-dried hard wood; 3) Dimensions (LxW): 42 cm x 29 cm (minimum), fits A3 size drawing paper; 4) With ledge for holding pencils; 5) The item must not have sharp edges or rough surfaces; 6) Carton box or plastic pouch packaging
Eraser	Technical Drafting (NC II)	Remove marks or stains from paper and other writing media.	Remove marks or stains without leaving any marks or discoloration on the writing media.	The item shall have the following specifications: 1) Material: Vinyl; 2) Color: White; 3) Dimension: At least 60 mm x 20 mm x 12 mm; 4) No discoloration of the eraser on paper; 5) Age resistant; 6) The material used must be non-toxic; 7) Plastic pouch individual packaging
Mechanical Pencils	Technical Drafting (NC II)	Write lines of constant width without sharpening.	Write lines of a given width without sharpening.	The item shall have the following specifications: 1. Casing Material: plastic; 2. Total Length: 5 1/2 inches; 3. Casing Diameter: 5 mm to 7 mm; 4. Lead Diameter: 0.5 to 0.7 mm; 5. Carton box or plastic pouch packaging 6. The item must be branded.