

### Republic of the Philippines

## Department of Education REGION IX SCHOOLS DIVISION OF ZAMBOANGA SIBUGAY

# REQUEST FOR QUOTATION

No.: 2022-06-145

	June 30, 2022	
THE PARTY	Date	

#### To: All Eligible Bidders

- 1. Please quote your lowest price inclusive of VAT on the items listed below, subject to the Terms and Conditions of this RFQ. Submit your quotation duly signed by your authorized representative at the DepEd Division of Zamboanga Sibugay, Pangi, Ipil, Zamboanga Sibugay . Receipt of at least one (1) of this quotation is sufficient to proceed with the evaluation.
- 2. Term and Conditions
  - a. All entries must be READABLE/ TYPEWRITTEN.
  - b. Please fill up the blank section/ columns (Unit price, total price including the grand total).
  - d. Price validity must be within sixty (60) calendar days.

Note: Mayor's Permit and Tax Clearance must be duly authenticated or certified true copy by issuing Agency and PhilGEPS Certification.

e. Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for equipment and other services from date of acceptance by the procuring entity.

### FAILURE TO DO SO WILL MEAN DISQUALIFICATION OF YOUR BID PROPOSAL

3. Quotation that exceeds the Approved Budget for the Contract (ABC) shall be automatically disqualified.

BAC Chairman &

Please return in sealed envelope and indicate the RFQ number.

Item No.	Unit	Item Specification	Quantity	Unit Price	Total Price
	unit	Cake stand with tier	12		
	unit	Cake Turn Table	6		
	unit	Chopping Board Set, 6 colors	12		
	unit	Coupler	6		
	unit	Decorating Tips	40		
	unit	Double Boiler, 2 liters	6		
	unit	Dough Cutter	2		
	unit	Flour Sifter, Hand Cranked	12		
	unit	Grater with Plastic Handle	12		
	ABC	P50,050.00			
Purpose:	e: Procurement of TVL (CCS) Equipment at SDO-Zamboanga Sibugay				
		This is to submit our price quotation indicated above subject to the terms and conditions of this RFQ			
Suppliers Company Name:		Date:			
Address:			Tel. No.:		
ΓIN Numb	er:		Cell. No.:		
Supplier's Si	anature Over	Printed Name	Email Add		
Supplier's Signature Over Printed Name:		Timed Name.	Fax No.:		



Pangi, Ipil, Zbga. Sibugay

**2** (062) 333-5492

@ depedzamboangasibugay.ph



a zamboanga.sibugay@deped.gov.ph

CAKE STAND, WITH TIER Bre	White board Arti	Item Name Arti
Bread And Pastry Production NC II	Artificial Insemination (Swine) NC II	TVL Specialization Artificial Insemination (Swine) NC II
Must be utilized for cakes, candies, desserts, bread, fruits, and other displays	Use primarily for drawing and writing with whiteboard marker.	Functional Specification
Should be reusable and durable, ideal for party, wedding, other festivals	Must be able to provide a surface to draw and write on with whiteboard marker.	Performance Specification
Type: Cake Stand with Tier, food grade Body shape: Circular with 3 tier Material: Hard Plastic, Polypropylene, 4 mm thick The tier consists of the following stess: Tier 1: 18 cm diameter (minimum) Tier 2: 25 cm diameter (minimum) Column diameter: 20 to 30 mm (solid) Distance between tierc: 15 cm Over all Length: 30 cm (minimum) Assembled column is used for maximum strength and stability of the stand Must be Packed in set Simooth and no sharp edges	White board, floor standing, rolling Roard: White Formica Laminated, plane will not deform. Board Size: Rectangular 1800mm W x 1000 to 1200mm H, Board figes secured with Aluminum Clip Edging 17 mm (minimum) wih plastic corner caps. Comes with Metal Tray for Marker and Eraser The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble With 4 lockable hard plastic caster wheels Overall Height from floor: 210 to 214cm Smooth surface, no sharp edges	TYPE:TRAINING BAG MATERIAL:POLYSTER WIDTH:12 INCHES (MINIMUM) MINIMUM OF THREE(3) EXTERIOR POCKETS MINIMUM OF TWO (2) INTERIOR POCKETS COMES WITH DETACHABLE SHOULDER STRAP COMI.S IN PLASTIC POUCH

Item Name	TVL Specialization	Functional Specification	Darformana Canadination	
CAKE TURN TABLE	Bread And Pastry Production NC II	Milet he lised for decoration baked	reflormance specification	Design Specification:
		treats perfectly	platform cast aluminum plate can	Body Shape : Circular
			keep cake in place while decorating.	Material: Cast Aluminum Plate, and Cast Iron Base
				Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum)
				Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum)
				Total height: 10 cm to 15 cm
				Turntable with ball bearing to turn easier
				Preferably packed in any kind of packaging
				Comes with no sharp edges to rotate smoothly in 360 degrees
				clockwise or counter clockwise
בייני	piedu Alia Fastry Production NC II	Must be used in chopping daily	Should be of high and low	Type: Food Grade
		activities	and	Body Shape: Rectangular
			ilgritweight for quality chopping tasks.	Material: Plastic (Polypropylene), food grade
				Width: 30 cm (minimum)
				Thickness: 1.27 cm (minimum)
				Color-coded for use with different types of food, Blue, Red, Yellow,
				Green, Brown and White,
				Preferably packed in set
				Comes with no sharp edges and with hole for storage purposes
COUPLER	Bread And Pastry Production NC II	Must be used for cake decorating, with small and large size nozzle	Should be simple but brilliant, easier Type: Foood Grade to attach all pieces even if hands are Rody Shane: Tikul	Type: Foood Grade Rody Chane: Tubular
		adapter designed to make changing pastry tips easier.		Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum)
				Top Diameter: 1.27 cm (minimum)
				Preferably with storage case
				The materials used must be non-toxic and dishwasher safe

Apron Caregiving NC II		GRATER WITH PLASTIC HANDLE Bread And		
VCII	NC II	Bread And Pastry Production NC II	Bread And Pastry Production NC II	TVL Specialization
Is a piece of clothing that you put on over the front of your normal clothes and around your waist , especially when you are cooking , in order to prevent your clothes from getting dirty .	Is a portable vacuum insulated hot drinks dispenser with a glass or stainless steel internal liner. Can be filled with a hot beverage such as tea and coffee and used to keep a drink warm for hours.	Must be excellent for easy and quick grating and slicing of all common types of foods.	Must be used to make the sitted flour lighter and easier to mix with other ingredients when making batter or dough.	Functional Specification
Must be able to protect your clothes from getting dirty	Must be able to maintain tempearature of hot drinks or beverage.	Should be made of high grade stainless steel, ergonomic handle of resistant plastic for safety grating tasks.	with features like stainless steel construction with high polished body and handle which requires only one and to operate.  Type: Hand Criniked Material: Stainless steel Dimension: Diameter: 13: Thickness: 0.79 mm (mining) Steel wire markings should be Capacity: 5 cups (1.18 liter) Spring action squeeze hand Preferably with a packing of Dishwasher safe	Performance Specification
1.Type: Bib Apron 2.Material: Polyester - Cotton Fabric 3.Length: 20 to 24 inches (minimum) 4.With 2 to 3 bottom pockets; 5.Color: Any 6.The item must be of good quality	1.Type: Water Heater 2.Outer Material: Hard Plastic,(PP) Polypropylene, Heat Resistant 3.Cavity Material: Stainless Steel 4.Capacity: 2.5 liters 5.Voltage: 220/240 volts 6.AC 50/60 Hz. Power in watts: 500 to 800 watts 7.Comes with english manual that contains: users guide,list of parts, maintenance guide, safety guide 8. The item must be branded and good quality.	Type: Four sided Box Grater Body Shape: Box in shape Material: Stainless steel blade and Plastic (Polypropylene handle) Grater Dimensions: Height- 25 cm x Width-13 cm x Depth-10 cm (minimum) Side 1: Large-hole shredder with 6 mm hole Side 2: Slicer Side 3: Small-hole shredder with 3 mm hole Side 4: Grater with strips about 1.27 cm to 2.54 cm length Preferably with packing case Food grade & dishwashing safe	Design Specification:  Type: Hand Criniked  Material: Stainless steel  Material: Stainless steel  Dimension: Diameter: 1.33.3 mm (minimum) x Height: 165 mm (minimum)  Thickness: 0.79 mm (minimum) (body) and constructed with stainless steel wire mesh # 30 bottom  Volume markings should be seen inside and outside of the sifter Capacity: 5 cups (1.18 liter)  Spring action squeeze handle stainless steel  Preferably with a packing case  Dishwasher safe	Y(1) 11.